

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					


1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					



1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					

1		2		3		4		5		6		7		8		9		10			
SWITCH CIRCUIT						MATERIAL AND FINISH AS BELOW															
WHEN CARD IS EJECTED			WHEN CARD IS INSERTED			A Housing		LCP UL94V-0 Black						E							
						B Contact		Phosphor Bronze C5210, Contact Area: Gold Flash						F							
						C Latch		Stainless Steel SUS301						G							
						D								H							
F																					
E																					
D																					
C																					
B																					
A																					
REV.																					


1	
---	--



RECOMMENDED MOUNTING
P.C. BOARD PATTERN LAYOUT DIM.



				UNLESS OTHERWISE SPECIFIED TOLERANCE															
				ANGLES	ANG.	±5°													
				LINEAR	0.	±0.3													
					0.0	±0.25													
					0.00	±0.20													
				SCALE	AS SHOWED	UNIT: mm	www.attend.com.tw												
A		Revise:			DRAWN	Willis	2012/12/05	DRAWN NAME: SO DIMM DDR3 Socket 1.5V 204Pin 5.2H Reverse Type											
		Revise:			CHECKED	Angel	2012/12/05												
		Revise:				APPROVED	Ken	2012/12/05	PRODUCT NO.	122A-52A10									
REV.	DESCRIPTION		DATE	REV.	DESCRIPTION		DATE		SIZE A4	REV. 1.0	FILE NAME	122A-52A10_B_1							
1		2		3		4		5		6		7		8		9		10	



PACKAGING SPECIFICATION:


1. PACKING

1.1 Quantity:

20Piece/Tray

220Piece/Inner Carton

660Piece/Outer Carton



SOFT TRAY PACKAGING

								UNLESS OTHERWISE SPECIFIED TOLERANCE						
				ANGLES		ANG.		±5°						
				LINEAR		0.		±0.3						
						0.0		±0.25						
						0.00		±0.20						
				SCALE		AS SHOWN		UNIT: mm		www.attend.com.tw				
A		Revise:				DRAWN	Willis	2012/12/05	DRAWN NAME: SO DIMM DDR3 Socket 1.5V 204Pin 5.2H Reverse Type					
		Revise:				CHECKED	Angel	2012/12/05						
		Revise:					APPROVED	Ken	2012/12/05	PRODUCT NO.	122A-52A10			
REV.	DESCRIPTION			DATE	REV.	DESCRIPTION			DATE		SIZE	REV.	FILE NAME	
	1	2	3	4	5	6	7	8	9	10				