




REV.	DESCRIPTION	DRAWN	DATE
1	INITIAL RELEASE	FROS	2025/08/06


SPECIFICATION:















- ELECTRICAL
 - Impedance: 100Ω
 - Frequency: DC 10 GHz
 - Insulation Resistance: 100MΩ Min.
 - Withstanding Voltage: 250Vrms
 - Voltage Rating: 60DC
 - Current Rating: 1.5A
 - Contact Resistance: 10mΩ Max.
- MECHANICAL
 - Mating Cycles: ≥ 25 cycles
- ENVIRONMENTAL
 - Operating temperature range: -40°C~+105°C
 - Storage temperature range: -40°C~+105°C
- SOLDER ABILITY
 - Recommended Wave Soldering Temperature: 260°C

How to order

232C- P 0 Z 00
Z: Z Code
0: Right angle 12 o'clock
P: Plug

4	GROUND	Copper alloy, tin plating over nickel	
3	OUTER CONTACT	Zinc alloy, tin plating over nickel	
2	CONTACT	Copper alloy, 6u" gold plating on contact area, tin plating on solder area, under plating nickel	
1	HOUSING	PA, UL94V-0	
NO. PART NAME		DESCRIPTION	
UNLESS OTHERWISE SPECIFIED TOLERANCE			
UNIT: mm	DECIMAL	LINEAR	ANGLES
	X.	±0.50	±5°
	X.X	±0.25	±3°
	X.XX	±0.12	±1°
			www.attend.com.tw
DRAWN	Fros	2025/08/06	DRAWN NAME:
CHECKED	Tim	2025/08/06	HS-MTP Plug, 2x2 Port, Right Angle
APPROVED	Ken	2025/08/06	PRODUCT NO. 232C-P0X00
	SCALE 1.6/1	SHEET 1/3	SIZE A4
FILE NAME		232C-P0X00_B_1	



A JET BLACK SIM.9005	B PURE white SIM. 9010	C LIGHT blue SIM. 5012	D CLARET VIOLET SIM. 4004	E MAY GREEN SIM. 6017	F NUT BROWN SIM. 8011	G PLATINUM GREY SIM. 7036
						
H LIGHT PINK SIM. 3015	J BEIGE SIM. 1001	K CURRY SIM. 1027	L YELLOW GREEN SIM. 6018	M PASTEL ORANGE SIM. 2003	O LIGHT GREEN SIM.6027	Z WATER BLUE SIM.5021
						

UNLESS OTHERWISE SPECIFIED TOLERANCE				 ATTEND www.attend.com.tw	
UNIT: mm	DECIMAL	LINEAR	ANGLES		
	X.	±0.50	±5°		
	X.X	±0.25	±3°		
	X.XX	±0.12	±1°		
DRAWN		Fros	2025/08/06	DRAWN NAME: HS-MTP Plug, 2x2 Port, Right Angle	
CHECKED		Tim	2025/08/06		
APPROVED		Ken	2025/08/06		
	SCALE N/A	SHEET 3/3	SIZE A4	FILE NAME	232C-P0X00_B_1