




DIM	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F	DIM G
PIN NUMBER							
060	26.12	15.72	18.72	20.72	14.50	21.95	23.95
080	31.12	20.72	23.72	25.72	19.50	26.95	28.95
100	36.12	25.72	28.72	30.72	24.50	31.95	33.95

REV.	DESCRIPTION	DRAWN	DATE
1	INITIAL RELEASE	FROS	2025/06/27



3	SOLDER PEG	Copper alloy, matte tin over nickel plating
2	CONTACT	Copper alloy, 5u" gold plating on contact area matte tin plating on solder area, under plating nickel over all
1	HOUSING	Thermoplastic, black

NO.		PART NAME		DESCRIPTION		
UNLESS OTHERWISE SPECIFIED TOLERANCE						
UNIT:	DECIMAL	LINEAR	ANGLES	 www.attend.com.tw		
	mm	X.	$\pm 0.50$			$\pm 5^\circ$
		X.X	$\pm 0.25$			$\pm 3^\circ$
		X.XX	$\pm 0.12$	$\pm 1^\circ$		
DRAWN	Fros	2025/06/27	DRAWN NAME:			
CHECKED	Tim	2025/06/27	Board to Board Floating Plug, Male 80 pin, Right Angel			
APPROVED	Ken	2025/06/27	PRODUCT NO.	320A-P080R00		
SCALE 2.5/1		SHEET 1/2	SIZE A4	FILE NAME	320A-P080R00_B_1	



Assembly Dimensions

UNLESS OTHERWISE SPECIFIED TOLERANCE

UNIT:	DECIMAL	LINEAR	ANGLES
mm	X.	±0.50	±5°
	X.X	±0.25	±3°
	X.XX	±0.12	±1°




www.attend.com.tw

DRAWN	Fros	2025/06/27	DRAWN NAME: Board to Board Floating Plug, Male 80 pin, Right Angel
CHECKED	Tim	2025/06/27	
APPROVED	Ken	2025/06/27	
	SCALE	SHEET	SIZE
	5/1	2/2	A4



PRODUCT NO.	320A-P080R00
FILE NAME	320A-P080R00_B_1

REV.	DESCRIPTION	DRAWN	DATE
1	INITIAL RELEASE	FROS	2025/06/27



## PACKAGING SPECIFICATION:

1. MATERIAL
  - 1.1 Embossed Carrier Tape: PS Black
  - 1.2 Top Cover Tape: PET  
20-80g(Peel Speed 300mm/Minute)
  - 1.3 Taping Reel: Plastic
2. PACKING
  - 2.1 Quantity:  
350 Piece/Reel  
1400 Piece/Outer Carton



UNLESS OTHERWISE SPECIFIED TOLERANCE

UNIT:	DECIMAL	LINEAR	ANGLES
mm	X.	±0.50	±5°
	X.X	±0.25	±3°
	X.XX	±0.12	±1°



www.attend.com.tw

DRAWN	Fros	2025/06/27	DRAWN NAME: Board to Board Floating Plug, Male 80 pin, Right Angel				
CHECKED	Tim	2025/06/27					
APPROVED	Ken	2025/06/27					
SCALE	N/A	SHEET	1/1	SIZE	A4	PRODUCT NO.	320A-P080R00
				FILE NAME	320A-P080R00_B_1		

Carton L\*W\*H=405\*405\*295