



PRODUCT NO.	ITEM	PART NAME	Q'TY	MATERIAL	PLATING
114B-40B00-R02	1	BODY	1	LCP	
	3	CONTACT	124	PHOSPHOR BRONZE	GOLD 3u"
	4	LATCH	2	STAINLESS	



DATE CODE: 0163 (YWW)  
 Y: 0 YEAR(2010)  
 WW:16 WEEK(01~52)  
 D: 3 DAY(01~07)

DETAIL 1  
 SCALE 3



Plastic Body : LCP, Color Black.  
 Contact: Phosphor Bronze Alloy (C5191R-H)  
 Contact area: Gold 3 micro inches  
 Solder area: Gold flash  
 All under-plated Ductile Nickel 50 micro inches (Min.)  
 Latch : SUS304R-1/2H, Matte Tin Plated  
 Contact Resistance: 30 mΩ (Max)  
 Insulation Resistance: 500 MΩ (Max.)  
 Dielectric Withstanding Voltage:  
 Mate connectors; apply 250V AC at 60 Hz(rms.)  
 Contact Normal Force: 50 gf per pin (Min.)  
 soldering heat: 260°C  
 Rating Voltage: 25V AC  
 Rating Current: 0.3A(Max.)/(1PIN)  
 Operating Temperature: -40°C to +90°C  
 Storage Temperature: -40°C to +90°C

114B-40 B 0 0-R02  
 1 2 3 4

- Stand off  
s/o:4.0mm
- Contact Plating  
B:3u" Gold Plating
- Color  
0:Black
- RoHS

UNLESS OTHERWISE SPECIFIED TOLERANCE		
ANGLES	ANG.	±5°
LINEAR	0.	±0.3
	0.0	±0.25
	0.00	±0.20
SCALE	AS SHOWN	UNIT: mm
DRAWN	Willis	2012/08/03
CHECKED	Angel	2012/08/03
APPROVED	Ken	2012/08/03




www.attend.com.tw  
 DRAWN NAME:  
 Mini PCI Socket H:4.0,Metal Grounding Type

REV.	DESCRIPTION	DATE	REV.	DESCRIPTION	DATE
1		2021/03/30			

PRODUCT NO.	114B-40B00-R02
FILE NAME	114B-40B00-R02_B_6


SIZE A4 REV. 1.0





NOTES:  
 1. PACKING STYLE 20 PCS/TRAY  
 300 PCS/INNER CARTON  
 1200 PCS/OUTER CARTON  
 2. MATERIAL TRAY:PET

7	LABEL	1	PCS	
6	LABEL	4	PCS	
5	PE BAG	1	PCS	
4	DRYER	4	BAG	
3	OUTER CARTON	1	PCS	
2	INNER CARTON	4	PCS	
1	TRAY	20	64+4	PCS
			1200	
NO.	PACKING NAME	PCS/T	T/CTN.	UNIT
		PACKING QTY		NOTE

						UNLESS OTHERWISE SPECIFIED TOLERANCE		 www.attend.com.tw DRAWN NAME: Mini PCI Socket H:4.0,Metal Grounding Type	
ANGLES		ANG.		±5°					
LINEAR		0.		±0.3					
		0.0		±0.25					
		0.00		±0.20					
SCALE		AS SHOWN		UNIT: mm					
DRAWN		Willis		2012/08/03					
CHECKED		Angel		2012/08/03					
APPROVED		Ken		2012/08/03		PRODUCT NO.		114B-40B00-R02	
REV.	DESCRIPTION	DATE	REV.	DESCRIPTION	DATE	SIZE	REV.	FILE NAME	114B-40B00-R02_D_3
1						A4	1.0		